


PUBLICATIONS

TKTL1 & DNaseX/Apo10



0 SEVERAL

Coy JF: **EDIM-TKTL1/Apo10 Blood Test: An Innate Immune System Based Liquid Biopsy for the Early Detection, Characterization and Targeted Treatment of Cancer.** Int J Mol Sci. 2017 Apr 20;18(4). pii: E878. doi: 10.3390/ijms18040878. Zyagnum Frankfurt, Germany.

Xu, I.M.; Lai, R.K.; Lin, S.H.; Tse, A.P.; Chiu, D.K.; Koh, H.Y.; Law, C.T.; Wong, C.M.; Cai, Z.; Wong, C.C.; et al. **Transketolase counteracts oxidative stress to drive cancer development.** Proc Natl Acad Sci U S A. 2016 Feb 9;113(6):E725-34. The University of Hong Kong, Hong Kong, China;

Li, B.; Iglesias-Pedraz, J.M.; Chen, L.Y.; Yin, F.; Cadenas, E.; Reddy, S.; Comai, L. **Downregulation of the Werner syndrome protein induces a metabolic shift that compromises redox homeostasis and limits proliferation of cancer cells.** Aging Cell 2014, Apr. 13, 367–378. University of Southern California, Los Angeles, USA / University of Southern California, Los Angeles, USA

1 DERMATOLOGY

Jayachandran, A.; Lo, P.H.; Chueh, A.C.; Prithviraj, P.; Molania, R.; Davalos-Salas, M.; Anaka, M.; Walkiewicz, M.; Cebon, J.; Behren, A. **Transketolase-like 1 ectopic expression is associated with DNA hypomethylation and induces the Warburg effect in melanoma cells.** BMC Cancer. 2016 Feb 22;16:134. Ludwig Institute for Cancer Research, Heidelberg, Australia.

Li, J.; Zhu, S.C.; Li, S.G.; Zhao, Y.; Xu, J.R.; Song, C.Y. **TKTL1 promotes cell proliferation and metastasis in esophageal squamous cell carcinoma.** Biomed Pharmacother. 2015 Aug;74:71-6. The Fourth Hospital of Hebei Medical University, Shijiazhuang, China.

2 ENDOCRINOLOGY

THYROID CANCER:

Zerilli M et al: **Increased expression of transketolase-like-1 in papillary thyroid carcinomas smaller than 1.5 cm in diameter is associated with lymph-node metastases.** Cancer. 2008 Sep 1;113(5):936-44. University of Palermo, Italy.

3 GASTROENTEROLOGY

COLORECTAL CANCER:

Ahopelto, K.; Böckelman, C.; Hagström, J.; Koskensalo, S.; Haglund, C. **Transketolase-like protein 1 expression predicts poor prognosis in colorectal cancer.** Cancer Biol. Ther. 2016, 17, 163–168. University of Helsinki and Helsinki University Hospital, Helsinki, Finland.

Bentz S et al: **Hypoxia induces the expression of transketolase-like 1 in human colorectal cancer.** Digestion. 2013;88(3):182-92. University Hospital Zurich, Switzerland.

Jansen N and Coy JF: **Diagnostic use of EDIM-blood test for early detection of colon cancer metastasis.** Future Oncol. 2013;9(4):605-9.

Schwaab J et al: **Expression of Transketolase like gene 1 (TKTL1) predicts disease-free survival in patients with locally advanced rectal cancer receiving neoadjuvant chemoradiotherapy.** BMC Cancer 2011;11:363. University Medical Centre Mannheim, Germany.

Diaz-Moralli S et al: **Transketolase-like 1 expression is modulated during colorectal cancer progression and metastasis formation.** PLoS One. 2011;6(9):e25323. Epub 2011 Sep 27. University of Barcelona, Spain.

Xu X et al: **Transketolase-like protein 1 (TKTL1) is required for rapid cell growth and full viability of human tumor cells.** Int J Cancer. 2009 Mar 15;124(6):1330-7. DKFZ German Cancer Research Centre, Heidelberg, Germany.

Langbein S et al: **Expression of transketolase TKTL1 predicts colon and urothelial cancer patient survival: Warburg effect reinterpreted.** Br J Cancer. 2006 Feb 27;94(4):578-85. University Hospital Mannheim, Germany.

GASTRIC CANCER:

Dong, Y.; Wang, M. **Knockdown of TKTL1 additively complements cisplatin-induced cytotoxicity in nasopharyngeal carcinoma cells by regulating the levels of NADPH and ribose-5-phosphate.** Biomed. Pharmacother. 2017, 85, 672–678. Central Hospital Affiliated to Zhengzhou University, Zhengzhou, China.

Song, Y.; Liu, D.; He, G. **TKTL1 and p63 are biomarkers for the poor prognosis of gastric cancer patients.** Cancer Biomark. 2015, 15, 591–597. Central South University, Changsha, China.

Yuan W et al: **Silencing of TKTL1 by siRNA inhibits proliferation of human gastric cancer cells in vitro and in vivo.** Cancer Biol Ther. 2010 May;9(9):710-6. Epub 2010 May. Central South University, Changsha, Hunan, China.

Staiger WI et al: **Expression of the mutated transketolase TKTL1, a molecular marker in gastric cancer.** Oncol Rep. 2006 Oct;16(4):657-61. Universitätsmedizin Mannheim. University Hospital Mannheim, Germany.

4 GYNAECOLOGY

BREAST CANCER:

Rotmann A et al: **A new diagnostic approach for the early detection and monitoring of breast cancer patients.** Poster Glasgow 9th European Breast Cancer Conference (EBCC-9), 19 to 21 March 2014

Rotmann A et al: **A new diagnostic test for monitoring of breast cancer patients.** Poster, Deutscher Krebskongress 2014

Grimm M et al: **A biomarker based detection and characterization of carcinomas exploiting two fundamental biophysical mechanisms in mammalian cells.** BMC Cancer 2013, 13:569. Tuebingen University Hospital, DKFZ German Cancer Research Center, Heidelberg, Germany.

Rotmann A: **The use of new diagnostic tests for the monitoring of new and existing therapies for breast cancer patients.** J. Clin. Oncol., ASCO Meeting Abstracts. 2013; 31:e22006

Feyen O et al: **EDIM-TKTL1 blood test: a noninvasive method to detect upregulated glucose metabolism in patients with malignancies.** Future Oncol. 2012;8(10):1349-59. Central Clinic Bad Berka, Germany.

Feyen O et al: **EDIM blood test: a non-invasive method to detect patients with malignancies.** Cell Symposia July 6-8, 2012: Poster

Rotmann A et al: **Apo10 - a new biomarker for early detection of disorders of cell proliferation and solid tumours.** Int J Gynaecol Obstet 119, Supplement 3 (2012), S466. Abstract Figo

Schmidt M et al: **Glycolytic phenotype in breast cancer: activation of Akt, up-regulation of GLUT1, TKTL1 and down-regulation of M2PK.** J Cancer Res Clin Oncol. 2010 Feb;136(2):219-25. Epub 2009 Aug 5. University of Wuerzburg, Germany.
Rotmann A et al: **TKTL1 - a new biomarker and its relevance in the daily gynaecological practice.** Poster FIGO 2009

Foeldi M et al: **Transketolase protein TKTL1 overexpression: A potential biomarker and therapeutic target in breast cancer.** Oncol Rep. 2007 Apr;17(4):841-5. University Hospital Freiburg, Germany.

ENDOMETRIAL CANCER:

Krockenberger M et al: **Expression of transketolase-like 1 protein (TKTL1) in human endometrial cancer.** Anticancer Res. 2010 May;30(5):1653-9. University of Wuerzburg, Germany.

OVARIAN CANCER:

Ricciardelli, C.; Lokman, N.A.; Cheruvu, S.; Tan, I.A.; Ween, M.P.; Pyragius, C.E.; Ruszkiewicz, A.; Hoffmann, P.; Oehler, M.K. **Transketolase is upregulated in metastatic peritoneal implants and promotes ovarian cancer cell proliferation.** Clin. Exp. Clin Exp Metastasis. 2015 Jun;32(5):441-55. University of Adelaide, Adelaide, Australia

Schmidt M et al: **Glucose metabolism and angiogenesis in granulosa cell tumors of the ovary: activation of Akt, expression of M2PK, TKTL1 and VEGF.** Eur J Obstet Gynecol Reprod Biol. 2008 Jul;139(1):72-8. Epub 2008 Apr 3. University of Wuerzburg, Germany.

Krockenberger M et al: **Transketolase-like 1 expression correlates with subtypes of ovarian cancer and the presence of distant metastases.** Int J Gynecol Cancer 2007 Jan-Feb;17(1):101-6. University of Wuerzburg, Germany.

CERVIX CANCER:

Chen H et al: **Overexpression of transketolase-like gene 1 is associated with cell proliferation in uterine cervix cancer.** J Exp Clin Cancer Res. 2009 Mar 30;28:43.

Kohrenhagen N et al: **Expression of transketolase-like 1 (TKTL1) and p-Akt correlates with the progression of cervical neoplasia.** J Obstet Gynaecol Res. 2008 Jun;34(3):293-300. University of Wuerzburg, Wuerzburg, Germany.

5 NEUROLOGY

BRAIN TUMOR:

Wanka C et al: **Tp53-induced glycolysis and apoptosis regulator (TIGAR) protects glioma cells from starvation-induced cell death by upregulating respiration and improving cellular redox homeostasis.** J Biol Chem. 2012 Sep 28;287(40):33436-46. Epub 2012 Aug 10. Goethe University Frankfurt, Germany.

Wani K et al: **A prognostic gene expression signature in infratentorial ependymoma.** For the Collaborative Ependymoma Research Network. Acta Neuropathol. 2012 May;123(5):727-38. Epub 2012 Feb 10. The University of Texas, MD Anderson Cancer Center, Houston, Texas, USA.

Völker HU et al: **Expression of transketolase-like 1 and activation of Akt in grade IV glioblastomas compared with grades II and III astrocytic gliomas.** Am J Clin Pathol. 2008 Jul;130(1):50-7. University of Wuerzburg, Germany.

6 OPHTHALMOLOGY

Lange CA et al: **Enhanced TKTL1 Expression in Malignant Tumors of the Ocular Adnexa Predicts Clinical Outcome.** Ophthalmology. 2012 Sep;119(9):1924-9. Epub 2012 Jun 1. University Hospital Freiburg, Germany.

7 OTOLARYNGOLOGY

HEAD AND NECK CANCER:

Dong, Y.; Wang, M. **Knockdown of TKTL1 additively complements cisplatin-induced cytotoxicity in nasopharyngeal carcinoma cells by regulating the levels of NADPH and ribose-5-phosphate.** Biomed. Pharmacother. 2017, 85, 672-678. Zhengzhou University, Zhengzhou, China.

Grimm, M.; Hoefert, S.; Krimmel, M.; Biegner, T.; Feyen, O.; Teriete, P.; Reinert, S. **Monitoring carcinogenesis in a case of oral squamous cell carcinoma using a panel of new metabolic blood biomarkers as liquid biopsies.** Oral Maxillofac Surg. 2016 Sep;20(3):295-302. Tuebingen University Hospital, Tuebingen, Germany

Diaz-Moralli, S.; Aguilar, E.; Marin, S.; Coy, J.F.; Dewerchin, M.; Antoniewicz, M.R.; Meca-Cortés, O.; Notebaert, L.; Ghesquière, B.; Eelen, G.; et al. **A key role for Transketolase-like 1 in tumor metabolic reprogramming.** Oncotarget. 2016 Aug 9;7(32):51875-51897. Universitat de Barcelona, Barcelona, Spain

Grimm, M.; Feyen, O.; Coy, J.F.; Hofmann, H.; Teriete, P.; Reinert, S. **Analysis of circulating CD14+/CD16+ monocyte-derived macrophages (MDMs) in the peripheral blood of patients with oral squamous cell carcinoma.** Oral Surg Oral Med Oral Pathol Oral Radiol. 2016 Mar;121(3):301-6. Tuebingen University Hospital, Tuebingen, Germany / Zyagnum AG Frankfurt, Germany

Grimm, M.; Kraut, W.; Hoefert, S.; Krimmel, M.; Biegner, T.; Teriete, P.; Cetindis, M.; Polligkeit, J.; Kluba, S.; Munz, A.; et al. **Evaluation of a biomarker based blood test for monitoring surgical resection of oral squamous cell carcinomas.** Clin. Oral Investig. 2016, 20, 329-338. University Hospital Tuebingen, Germany / Sanford-Burnham Medical Research InstituteLa JollaUSA

Grimm et al: **Apoptosis resistance-related ABCB5 and DNaseX (Apo10) expression in oral carcinogenesis.** Acta Odontol Scand. 2014 Sep 19:1-7. (Epub ahead of print). Tuebingen University Hospital, Tuebingen, Germany.

Grimm et al.: **Association of cancer metabolism-related proteins with oral carcinogenesis – indications for chemoprevention and metabolic sensitizing of oral squamous cell carcinoma?.** J Transl Med. 2014 Jul 21;12:208. Tuebingen University Hospital, Tuebingen, Germany.

Grimm et al: **GLUT-1+/TKTL1+ coexpression predicts poor outcome in oral squamous cell carcinoma.** Oral Surg Oral Med Oral Pathol Oral Radiol. 2014 Jun;117(6):743-53. Tuebingen University Hospital, Tuebingen, Germany.

Grimm M et al: **A biomarker based detection and characterization of carcinomas exploiting two fundamental biophysical mechanisms in mammalian cells.** BMC Cancer. 2013, 13:569. Tuebingen University Hospital, Tuebingen, DKFZ German Cancer Research Center, Heidelberg, Germany.

Grimm M et al: **Transketolase-like protein 1 expression in recurrent oral squamous cell carcinoma after curative resection: a case report.** Oral Surg Oral Med Oral Pathol Oral Radiol. 2012 Jul 20. Tuebingen University Hospital, Tuebingen, Germany.

Hartmannsberger D et al: **Transketolase-like protein 1 confers resistance to serum withdrawal in vitro.** Cancer Lett. 2011 Jan 1;300(1):20-9. Epub 2010 Sep 29. Ludwig-Maximilians-University of Munich, Germany.

Sun W et al: **TKTL1 is activated by promoter hypomethylation and contributes to head and neck squamous cell carcinoma carcinogenesis through increased aerobic glycolysis and HIF1alpha stabilization.** Clin Cancer Res. 2010 Feb 1;16(3):857-66. Epub 2010 Jan 26

Smith IM et al: **Coordinated activation of candidate proto-oncogenes and cancer testes antigens via promoter demethylation in head and neck cancer and lung cancer.** PLoS One. 2009;4(3):e4961. Epub 2009 Mar 23

Völker HU et al: **Overexpression of transketolase TKTL1 is associated with shorter survival in laryngeal squamous cell carcinomas.** Eur Arch Otorhinolaryngol. 2007 Dec;264(12):1431-6. Epub 2007 Jul 18. University of Wuerzburg, Germany.

8 PULMONOLOGY

LUNG CANCER:

Feyen O et al: **EDIM-TKTL1 blood test: a noninvasive method to detect upregulated glucose metabolism in patients with malignancies.** Future Oncol. 2012;8(10):1349-59. Central Clinic Bad Berka, Germany.

Feyen O et al: **EDIM blood test: a non-invasive method to detect patients with malignancies.** Cell Symposia July 6-8, 2012: Poster

Kayser G et al: **Poor outcome in primary non-small cell lung cancers is predicted by transketolase TKTL1 expression.** Pathology. 2011 Dec;43(7):719-24. University Hospital Freiburg, Germany.

Kayser G et al: **Lactate-dehydrogenase 5 is overexpressed in non-small cell lung cancer and correlates with the expression of the transketolase-like protein 1.** Diagn Pathol. 2010 Apr 12;5:22. University Hospital Freiburg, Germany.

Prasad V et al: **Transketolase-like 1 (TKTL1), a new intracellular marker for staging of non-small cell lung cancer (NS-CLC): Correlation with metabolic tumor size on F-18 FDG PET/CT.** Poster SNM 2010. Central Clinic Bad Berka, Germany.

Smith IM et al: **Coordinated activation of candidate proto-oncogenes and cancer testes antigens via promoter demethylation in head and neck cancer and lung cancer.** PLoS One. 2009;4(3):e4961. Epub 2009 Mar 23

9 UROLOGY

PROSTATE CANCER:

Grimm M et al: **A biomarker based detection and characterization of carcinomas exploiting two fundamental biophysical mechanisms in mammalian cells.** BMC Cancer.2013, 13:569. Tuebingen University Hospital, DKFZ German Cancer Research Center, Heidelberg, Germany.

Arnoldt J: **Therapy monitoring and early detection of metastasis using tumor protein detection in macrophages.** Anticancer Research ISSN 0250-7005: 2011 May:2012

UROTHELIAL CANCER:

Langbein S et al: **Expression of transketolase TKTL1 predicts colon and urothelial cancer patient survival: Warburg effect reinterpreted.** Br J Cancer. 2006 Feb 27;94(4):578-85. University Hospital Mannheim, Germany.

NEPHROBLASTOMA:

Wu HT et al: **Anaplastic nephroblastomas express transketolase-like enzyme 1.** J Clin Pathol. 2009 May;62(5):460-3. Epub 2009 Jan 12

KIDNEY CANCER:

Langbein S et al: **Metastasis is promoted by a bioenergetic switch: new targets for progressive renal cell cancer.** Int J Cancer. 2008 Jun 1;122(11):2422-8. University of Amsterdam, The Netherlands.

10. COMPLEMENTARY AND ALTERNATIVE MEDICINE

Natalie Jansen and Harald Walach. The development of tumours under a ketogenic diet in association with the novel tumour marker TKTL1: A case series in general practice. 2015:584-592.

